



2008 Year of Sobriety in Lithuania

dr. Aurelijus Veryga

Lithuanian University of Health Sciences
Health Research Institute
Lithuanian Tobacco and Alcohol Control Coalition

Special thanks: dr. Mindaugas Štelemėkas




Health Research Institute

NTAKK LITHUANIAN NATIONAL
TOBACCO AND ALCOHOL
CONTROL COALITION

The trigger...?



Prevalence of 9-14 years old children alcohol intoxications (T-51) (hospital cases)





Health Research Institute

NTAKK LITHUANIAN NATIONAL
TOBACCO AND ALCOHOL
CONTROL COALITION

What was done on national level

Advertisement



Price (excise)




Night sale






Correlation of alcoholic psychosis with alcohol policy measures






Pure alcohol consumption per capita in Lithuania 2000-2011






Relative price of alcohol beverages






Mortality from selected alcohol related causes in Lithuania 2000-2010



Source: Institute of Hygiene




Alcohol consumption vs. alcohol attributable mortality





PYLL (15-75) in Lithuania per 100 000 population (2003 m.)


Lithuania
975.6





PYLL (15-75) in Lithuania per 100 000 population (2005 m.)


Lithuania
1096.25





PYLL (15-75) in Lithuania per 100 000 population (2006 m.)


Lithuania
1308.05





PYLL (15-75) in Lithuania per 100 000 population (2007 m.)


Lithuania
1548.74





PYLL (15-75) in Lithuania per 100 000 population (2008 m.)


Lithuania
1294.73





PYLL (15-75) in Lithuania per 100 000 population (2009 m.)


Lithuania
871.92






PYLL (15-75) in Lithuania per 100 000 population (2010 m.)

Lithuania
842.24





Unrecorded alcohol a big issue !?



Pure alcohol consumption age 15 +, 1991-2011



Health Research Institute

NTAKK LITHUANIAN NATIONAL
TOBACCO AND ALCOHOL
CONTROL COALITION

Thank you